



# Commercial and Industrial Butterfly Valve Price List

# BFV-0318

Effective: March 1, 2018

**Revised: 09/27/2018**

*Suggested list prices are subject to change without notification. Visit our Website for the most up-to-date product information.*

Hammond Valve Butterfly Part Number Configurator				
6	2	1	1	01
SERIES	BODY	DISC / STEM	SEAT MATERIAL	OPTIONS
	DESCRIPTION / MATERIAL	MATERIAL DESCRIPTION		
6 - (6000) <sup>1</sup>	1 - WAFER / IRON (ASTM B126A)	0 - NICKEL COATED DUCTILE IRON / 416 S.S.	0 - BUNA - N	00 - BARE STEM
5 - (5000) <sup>2</sup>	2 - LUG / IRON (ASTM B126A)	1 - ALMN BRONZE (ASTM B62) / 416 S.S.	1 - EPDM	01 - 10 POSITION LEVER LOCK
	3 - WAFER / DUCTILE (ASTM A536)	2 - 316 S.S. / 316 S.S.	3 - VITON	02 - INFINITE POSITION W/ MEMORY STOP
	4 - LUG / DUCTILE (ASTM A536)	3 - ALMN BRONZE (ASTM B62) / 316 S.S.	4 - EPOXY COATED IRON	03 - GEAR OPERATOR W/ HANDWHEEL
	6 - WAFER / IRON (B126A) EPOXY COATED	4 - NICKEL COATED DUCTILE IRON / 316 S.S.	5 - BLACK NEOPRENE	04 - BURIED SERVICE GEAR OPERATOR W/OPERATING NUT
	7 - LUG / IRON (B126A) EPOXY COATED <sup>3</sup>	5 - EPOXY COATED DUCTILE IRON / 416 S.S.	6 - WHITE NEOPRENE	05 - GEAR OPERATOR W/ MEM STOP
	8 - WAFER / DUCTILE (A536) EPOXY COATED	9 - NYLON COATED DUCTILE IRON / 416 S.S.	7 - HYPALON	
	9 - LUG / DUCTILE (A536) EPOXY COATED <sup>3</sup>		8 - TEFLON	

**NOTES BELOW HIGHLIGHT IMPORTANT POINTS. ALWAYS REFER TO VALVE SPEC SHEETS FOR COMPLETE VALVE SPECIFICATION DETAILS!**

<sup>1</sup>6000-Series are bi-directional dead end rated to 200 psi max when ordered with Buna-N or EPDM liners only. All other available liner materials are uni-directional dead end rated.

<sup>2</sup>5000-Series only available with cast iron body, aluminum bronze disc and EPDM liner with either lever handle or gear operator.

<sup>3</sup>When ordering optional epoxy coated bodies, valves are uni-directional dead end service only.

### TABLE OF CONTENTS

<u>PRODUCT NUMBER / SERIES</u>	<u>PAGE NUMBER</u>
5000 Series	2
6000 Series Lug	3, 4, 5
6000 Series Wafer	6, 7, 8
Specialty Option and Liners List Adders	9
Lever Handle Kits, Gear Operators, Options and Accessories	10

Visit our website for complete product details, information and terms and conditions of sale.

Hammond Valve Company | 16550 West Stratton Drive | New Berlin | WI | 53151

Phone: (262) 432-2702

Website: [www.hammondvalve.com](http://www.hammondvalve.com)

**5000-SERIES BUTTERFLY VALVES**  
**CAST IRON BODY, ALUMINUM BRONZE DISC & EPDM LINER**  
**416 STAINLESS STEEL DISC**  
**2" - 12" RATED 200 PSI, 14" AND LARGER 150 PSI**

MODEL	5000 SERIES - WAFER PATTERN CAST IRON BODY, ALUMINUM BRONZE DISC, EPDM LINER		5000 SERIES - LUG PATTERN CAST IRON BODY, ALUMINUM BRONZE DISC, EPDM LINER	
	5111-01 LEVER HANDLE	5111-03 GEAR OPERATED	5211-01 LEVER HANDLE	5211-03 GEAR OPERATED
2"	396.59		417.71	
2 1/2"	396.59	813.77	423.00	844.72
3"	412.42	842.31	446.80	885.11
4"	520.86	992.21	594.88	1,051.68
5"	756.11	1,208.79	885.68	1,327.72
6"	896.24	1,298.11	962.36	1,460.98
8"	1,345.71	1,871.80	1,438.28	1,961.75
10"	1,787.27	2,313.39	1,940.55	2,464.05
12"	2,702.00	3,225.52	2,852.66	3,376.19
14"		4,777.16		4,814.81
16"		7,010.00		7,045.16
18"		8,685.24		8,022.79
20"		10,862.86		10,204.08
24"		16,883.25		18,289.27

**PLEASE NOTE:**

5000-SERIES Butterfly Valves are only available with cast iron bodies, aluminum bronze disc, EPDM liner in either lever or gear operated. Please refer to the 6000-Series Butterfly for additional available body, disc and liner materials.

For lever handles and gear options, please refer to page 10.

**6000 - SERIES BUTTERFLY VALVES**  
**CAST & DUCTILE IRON BODY, NICKEL PLATED DUCTILE IRON DISC, BUNA OR EPDM LINER<sup>1</sup>**  
**416 STAINLESS STEEL DISC**  
**2" - 12" RATED 200 PSI, 14" AND LARGER RATED 150 PSI**

MODEL	6000 SERIES LUG PATTERN CAST IRON BODY, NICKEL PLATED DUCTILE IRON DISC			6000 SERIES LUG PATTERN DUCTILE IRON BODY, NICKEL PLATED DUCTILE IRON DISC		
	6200-00 (BUNA) 6201-00 (EPDM)	6200-01 (BUNA) 6201-01 (EPDM)	6200-03 (BUNA) 6201-03 (EPDM)	6400-00 (BUNA) 6401-00 (EPDM)	6400-01 (BUNA) 6401-01 (EPDM)	6400-03 (BUNA) 6401-03 (EPDM)
SIZE	BARE STEM	LEVER HANDLE	GEAR OPERATED	BARE STEM	LEVER HANDLE	GEAR OPERATED
2"	389.82	456.49	882.22	423.15	489.83	915.55
2 1/2"	394.94	464.18	884.77	428.27	497.51	918.11
3"	425.72	497.51	923.23	474.44	546.25	971.94
4"	530.86	628.31	1,066.84	582.14	679.59	1,118.16
5"	748.84	843.74	1,284.82	810.41	905.31	1,346.39
6"	907.84	1,010.41	1,446.35	987.37	1,089.95	1,525.89
8"	1,251.46	1,377.16	1,941.36	1,348.93	1,474.63	2,038.79
10"	1,787.48	1,910.57	2,474.75	1,900.33	2,023.42	2,587.61
12"	2,377.36	2,500.44	3,067.17	2,528.66	2,651.74	3,218.47
14"	3,230.53		3,722.68	3,951.15		4,443.30
16"	4,585.11		5,515.78	5,649.37		6,580.03
18"	5,735.01		6,936.13	7,117.29		8,318.41
20"	7,442.89		8,763.35	9,302.15		10,622.61
24"	12,517.65		14,727.40	15,982.30		18,192.05
30"						
36"						
42"						
48"						

<sup>1</sup>BUNA and EPDM liners share the same list price. For optional liner and disc materials, please refer to page 9.

For lever handles and gear options, please refer to page 10.

Note: 6201-03 available in 30", 36", 42" and 48". Contact Factory for pricing.

**6000 - SERIES BUTTERFLY VALVES**  
**CAST & DUCTILE IRON BODY, ALUMINUM BRONZE DISC, BUNA OR EPDM LINER<sup>1</sup>**  
**416 STAINLESS STEEL STEM**  
**2" - 12" RATED 200 PSI, 14" AND LARGER RATED 150 PSI**

MODEL	6000 SERIES LUG PATTERN CAST IRON BODY, ALUMINUM BRONZE DISC			6000 SERIES LUG PATTERN DUCTILE IRON BODY, ALUMINUM BRONZE DISC		
	6210-00 (BUNA) 6211-00 (EPDM)	6210-01 (BUNA) 6211-01 (EPDM)	6210-03 (BUNA) 6211-03 (EPDM)	6410-00 (BUNA) 6411-00 (EPDM)	6410-01 (BUNA) 6411-01 (EPDM)	6410-03 (BUNA) 6411-03 (EPDM)
SIZE	BARE STEM	LEVER HANDLE	GEAR OPERATED	BARE STEM	LEVER HANDLE	GEAR OPERATED
2"	412.89	482.14	905.28	446.22	515.47	938.61
2 1/2"	423.16	487.27	910.39	456.49	520.56	943.73
3"	464.18	530.86	954.01	512.89	579.58	1,002.72
4"	592.42	692.42	1,133.51	643.71	743.72	1,184.79
5"	889.89	984.79	1,431.04	951.46	1,046.34	1,492.61
6"	1,030.93	1,130.94	1,574.60	1,110.46	1,210.48	1,654.10
8"	1,502.78	1,628.45	2,190.07	1,600.25	1,725.92	2,287.54
10"	2,028.54	2,156.79	2,718.39	2,141.39	2,269.63	2,831.22
12"	3,051.76	3,177.41	3,739.06	3,203.06	3,328.74	3,890.40
14"	4,058.89		4,670.37	4,779.51		5,390.99
16"	5,583.96		6,833.80	6,648.21		7,898.06
18"	7,374.65		8,458.79	8,756.92		9,841.07
20"	9,557.58		10,758.65	11,416.84		12,617.91
24"	16,544.87		19,283.25	20,009.53		22,747.90
30"						
36"						
42"						
48"						

<sup>1</sup>BUNA and EPDM liners share the same list price. For optional liner and disc materials, please refer to page 9.

For lever handles and gear options, please refer to page 10.

Note: 6201-03 available in 30", 36", 42" and 48". Contact Factory for pricing.

**6000 - SERIES BUTTERFLY VALVES**  
**CAST & DUCTILE IRON BODY, STAINLESS STEEL DISC, BUNA OR EPDM LINER<sup>1</sup>**  
**316 STAINLESS STEEL STEM**  
**2" - 12" RATED 200 PSI, 14" AND LARGER RATED 150 PSI**

MODEL	6000 SERIES LUG PATTERN CAST IRON BODY, STAINLESS STEEL DISC & STEM			6000 SERIES LUG PATTERN DUCTILE IRON BODY, STAINLESS STEEL DISC & STEM		
	6220-00 (BUNA) 6221-00 (EPDM)	6220-01 (BUNA) 6221-01 (EPDM)	6220-03 (BUNA) 6221-03 (EPDM)	6420-00 (BUNA) 6421-00 (EPDM)	6420-01 (BUNA) 6421-01 (EPDM)	6420-03 (BUNA) 6421-03 (EPDM)
SIZE	BARE STEM	LEVER HANDLE	GEAR OPERATED	BARE STEM	LEVER HANDLE	GEAR OPERATED
2"	546.25	615.52	1,038.60	579.58	648.82	1,071.93
2 1/2"	556.51	623.17	1,048.87	589.84	656.47	1,082.20
3"	677.01	746.26	1,169.43	725.72	795.03	1,218.14
4"	846.29	943.71	1,382.27	897.58	995.04	1,433.56
5"	1,197.65	1,297.64	1,741.32	1,259.22	1,359.22	1,802.89
6"	1,328.43	1,423.35	1,864.38	1,407.97	1,502.78	1,943.90
8"	2,113.15	2,236.24	2,800.45	2,210.62	2,333.75	2,897.92
10"	3,487.76	3,610.82	4,175.04	3,600.61	3,723.68	4,287.88
12"	4,749.48	4,875.17	5,170.04	4,900.79	5,026.47	5,321.34
14"	5,242.89		5,415.86	5,963.51		6,136.48
16"	7,445.28		7,781.53	8,509.54		8,845.78
18"	9,813.38		10,047.28	11,195.66		11,429.55
20"	14,125.61		14,379.01	15,984.87		16,238.27
24"	21,958.30		22,160.50	25,422.95		25,625.15
30"						
36"						
42"						
48"						

<sup>1</sup>BUNA and EPDM liners share the same list price. For optional liner and disc materials, please refer to pages 9.

For lever handles and gear options, please refer to page 10.

Note: 6201-03 available in 30", 36", 42" and 48". Contact Factory for pricing.

**6000 - SERIES BUTTERFLY VALVES**  
**CAST & DUCTILE IRON BODY, NICKEL PLATED DUCTILE IRON DISC, BUNA OR EPDM LINER<sup>1</sup>**  
**416 STAINLESS STEEL STEM**  
**2" - 12" RATED 200 PSI, 14" AND LARGER RATED 150 PSI**

MODEL	6000 SERIES WAFER PATTERN CAST IRON BODY, NICKEL PLATED DUCTILE DISC			6000 SERIES WAFER PATTERN DUCTILE IRON BODY, NICKEL PLATED DUCTILE DISC		
	6100-00 (BUNA) 6101-00 (EPDM)	6100-01 (BUNA) 6101-01 (EPDM)	6100-03 (BUNA) 6101-03 (EPDM)	6300-00 (BUNA) 6301-00 (EPDM)	6300-01 (BUNA) 6301-01 (EPDM)	6300-03 (BUNA) 6301-03 (EPDM)
SIZE	BARE STEM	LEVER HANDLE	GEAR OPERATED	BARE STEM	LEVER HANDLE	GEAR OPERATED
2"	346.20	412.89	836.02	379.53	446.22	869.35
2 1/2"	351.34	423.16	846.29	384.67	456.49	879.62
3"	382.12	453.94	877.08	430.84	502.65	925.79
4"	471.86	569.33	1,013.00	523.14	620.61	1,064.29
5"	656.52	756.53	1,197.65	718.08	818.10	1,259.22
6"	833.50	936.06	1,374.56	913.04	1,015.60	1,454.10
8"	1,154.04	1,279.69	1,843.87	1,251.51	1,377.16	1,941.34
10"	1,661.82	1,782.35	2,346.53	1,774.67	1,895.20	2,459.37
12"	2,251.64	2,374.74	2,944.08	2,402.94	2,526.04	3,095.38
14"	3,128.20		3,552.12	3,848.81		4,272.74
16"	4,399.94		5,413.45	5,464.19		6,477.70
18"	5,583.96		6,768.00	6,966.23		8,150.28
20"	7,274.77		8,626.92	9,134.03		10,486.18
24"	11,738.07		13,808.89	15,202.72		17,273.55

<sup>1</sup>BUNA and EPDM liners share the same list price. For optional liner and disc materials, please refer to pages 9.

For lever handles and gear options, please refer to page 10.

**6000 - SERIES BUTTERFLY VALVES**  
**CAST & DUCTILE IRON BODY, ALUMINUM BRONZE DISC, BUNA OR EPDM LINER<sup>1</sup>**  
**416 STAINLESS STEEL STEM**  
**2" - 12" RATED 200 PSI, 14" AND LARGER RATED 150 PSI**

MODEL	6000 SERIES WAFER PATTERN CAST IRON BODY, ALUMINUM BRONZE DISC			6000 SERIES WAFER PATTERN DUCTILE IRON BODY, ALUMINUM BRONZE DISC		
	6110-00 (BUNA) 6111-00 (EPDM)	6110-01 (BUNA) 6111-01 (EPDM)	6110-03 (BUNA) 6111-03 (EPDM)	6310-00 (BUNA) 6311-00 (EPDM)	6310-01 (BUNA) 6311-01 (EPDM)	6310-03 (BUNA) 6311-03 (EPDM)
	SIZE	BARE STEM	LEVER HANDLE	GEAR OPERATED	BARE STEM	LEVER HANDLE
2"	379.54	448.78	871.92	412.87	482.11	905.25
2 1/2"	387.25	453.94	877.08	420.58	487.27	910.41
3"	418.05	484.67	907.84	466.76	533.39	956.55
4"	530.86	625.73	1,069.40	582.14	677.02	1,120.68
5"	769.32	864.26	1,302.80	830.89	925.83	1,364.37
6"	938.61	1,038.60	1,477.17	1,018.15	1,118.14	1,556.71
8"	1,400.25	1,523.31	2,087.52	1,497.72	1,620.78	2,184.99
10"	1,892.61	2,015.70	2,579.90	2,005.46	2,128.55	2,692.75
12"	2,890.19	3,018.46	3,580.06	3,041.49	3,169.77	3,731.36
14"	3,976.03		4,633.84	4,696.65		5,354.46
16"	5,496.26		6,799.70	6,560.52		7,863.95
18"	7,274.77		8,424.68	8,657.05		9,806.96
20"	9,472.27		10,658.78	11,331.53		12,518.04
24"	14,447.20		16,376.76	17,911.86		19,841.41

<sup>1</sup>BUNA and EPDM liners share the same list price. For optional liner and disc materials, please refer to pages 9.

For lever handles and gear options, please refer to page 10.

**6000 SERIES BUTTERFLY VALVES**  
**CAST & DUCTILE IRON BODY, STAINLESS STEEL DISC, BUNA OR EPDM LINER<sup>1</sup>**  
**316 STAINLESS STEEL STEM**  
**2" - 12" RATED 200 PSI, 14" AND LARGER RATED 150 PSI**

MODEL	6000 SERIES WAFER PATTERN CAST IRON BODY, STAINLESS STEEL DISC & STEM			6000 SERIES WAFER PATTERN DUCTILE IRON BODY, STAINLESS STEEL DISC & STEM		
	6120-00 (BUNA) 6121-00 (EPDM)	6120-01 (BUNA) 6121-01 (EPDM)	6120-03 (BUNA) 6121-03 (EPDM)	6320-00 (BUNA) 6321-00 (EPDM)	6320-01 (BUNA) 6321-01 (EPDM)	6320-03 (BUNA) 6321-03 (EPDM)
SIZE	BARE STEM	LEVER HANDLE	GEAR OPERATED	BARE STEM	LEVER HANDLE	GEAR OPERATED
2"	505.23	574.48	997.62	538.57	607.81	1,030.95
2 1/2"	512.90	579.58	1,007.86	546.23	612.92	1,041.20
3"	633.43	705.23	1,123.28	682.15	753.95	1,172.00
4"	782.18	879.62	1,320.72	833.46	930.91	1,372.01
5"	1,064.26	1,166.86	1,605.40	1,125.83	1,228.42	1,666.97
6"	1,225.87	1,328.43	1,764.38	1,305.40	1,407.97	1,843.92
8"	2,013.15	2,151.66	2,703.02	2,110.62	2,249.13	2,800.49
10"	3,341.56	3,464.65	4,026.29	3,454.41	3,577.50	4,139.14
12"	4,587.91	4,716.15	5,277.77	4,739.21	4,867.45	5,429.07
14"	5,074.79		5,379.34	5,795.40		6,099.96
16"	7,274.77		7,715.71	8,339.03		8,779.97
18"	9,642.86		10,013.15	11,025.14		11,395.42
20"	13,940.46		14,293.72	15,799.72		16,152.98
24"	19,758.31		21,855.96	23,222.97		25,320.61

<sup>1</sup>BUNA and EPDM liners share the same list price. For optional liner and disc materials, please refer to pages 9.

For lever handles and gear options, please refer to page 10.



**6000 SERIES - SPECIALTY OPTIONS AND LINERS LIST ADDERS**

	EPOXY COATED BODY (LUG OR WAFER)	316 STAINLESS STEEL STEMS (IN LIEU OF 416)	VALVE TESTING 250 PSI	VITON LINER	FDA BLACK NEOPRENE	FDA WHITE NEOPRENE	HYPALON	PTFE OVER BUNA
NOTES	1	2	3					4
SIZE								
2"	202.59	76.94	51.29	484.67	179.53	179.53	171.84	1,123.28
2 1/2"	202.59	76.94	51.29	484.67	179.53	179.53	171.84	1,282.26
3"	266.72	76.94	58.62	484.67	179.53	179.53	171.84	1,382.27
4"	284.68	100.00	65.92	587.26	179.53	179.53	171.84	1,531.00
5"	318.21	108.15	78.64	879.62				
6"	384.69	135.91	113.63	879.62	230.79	230.79	223.11	2,149.06
8"	461.61	189.79	139.23	1,531.00	484.68	484.68	466.73	3,067.17
10"	561.64	366.74	179.49	1,787.48	561.66	561.66	541.12	3,522.85
12"	764.21	582.17	230.81	2,225.96	866.81	866.81	833.50	
14"	866.17	1,115.57	333.40	3,626.24	POA	POA	POA	
16"	866.17	1,115.57	373.67	5,239.32	POA	POA	POA	
18"	866.17	1,969.55	443.27	5,475.24	POA	POA	POA	
20"	866.17	2,036.23	509.27	7,103.77	POA	POA	POA	
24"	866.17	3,310.81	553.20	9,606.64	POA	POA	POA	

POA - Price on application, please contact your customer service representative for pricing and availability.

NOTES:

- 1 - Special order item, which is non-cancelable and non-returnable.
- 2 - 316 Grade stainless steel stems are standard when buying valves containing stainless steel discs.
- 3 - 2"-12" Tested for 250 psi max. rating, 14"-24" Tested for 200 psi max. rating and requires ductile iron body material.
- 4 - Teflon liners require 316 stainless steel discs, and have a maximum temperature rating of 180°F.

**5000/6000 SERIES - LEVER HANDLE KITS, GEAR OPERATORS,  
OPTIONS AND ACCESSORIES**

	10 POSITION LEVER HANDLE KIT	MEMORY STOP ONLY (FOR LEVER HANDLE	GEAR OPERATOR WITH HANDWHEEL	ALUMINUM CHAIN WHEEL OPERATOR	CHAIN PER FOOT	LOCKING DEVICE (FOR GEAR)	2" SQUARE NUT	STEM EXTENSION BASE PRICE	STEM EXT ADDER FOR EACH INCH OF RISE
NOTES	1			2		2	2	3A	3B
SIZE									
2"	82.06	15.50	548.81	571.90	16.27	223.11	230.79	581.29	48.47
2 1/2"	82.06	15.50	548.81	571.90	16.27	223.11	230.79	581.29	48.47
3"	82.06	15.50	548.81	571.90	16.27	223.11	230.79	698.12	51.26
4"	110.26	15.50	571.90	571.90	16.27	223.11	230.79	803.55	62.69
5"	110.26	15.50	571.90	571.90	16.27	223.11	230.79	931.77	71.24
6"	110.26	15.50	571.90	571.90	16.27	223.11	230.79	931.77	71.24
8"	146.19	18.97	715.50	741.12	19.61	223.11	230.79	1,045.77	82.64
10"	158.05	18.97	715.50	741.12	19.61	223.11	230.79	1,307.88	102.56
12"	158.05	18.97	715.50	741.12	19.61	223.11	230.79	1,307.88	102.56
14"			1,087.34	836.02	19.61	223.11	230.79	1,436.14	111.12
16"			1,087.34	836.02	19.61	223.11	230.79	1,535.85	119.66
18"			1,833.60	836.02	19.61	330.81	230.79	1,567.22	122.51
20"			1,833.60	836.02	19.61	330.81	230.79	1,835.05	142.46
24"			2,395.24	1,690.01	19.61	330.81	230.79	1,991.78	151.01

CHAINWHEEL OPERATOR PART NO. AND CHAIN SIZE		
BUTTERFLY VALVE SIZE	CHAINWHEEL PART NO.	CHAIN SIZE
2" thru 6"	ARG1.0 (also order ARG1.0-STRP)	1/0
8" thru 12"	ARG2.0	1/0
14" thru 20"	ARG2.5	4/0
24" thru 42"	ARG3.5	4/0
48"	ARG4.0	4/0

**NOTES:**

- 1 - Lever handle kits include: Lever handle, stop plate and hardware to mount to valve.
- 2 - These items are for mounting on to gear operators only not included in the list price.
- 3A & 3B - Calculating stem extensions: Based on valve size find the stem extension rise price per inch and multiply by the total rise height, then add the corresponding base stem extension price for the total list price. (Includes stem, tube and flanges in carbon steel material. All stainless steel stem extensions are available upon request; please contact your customer service representative for price and availability.