



Ultra-Pure™ List Price Sheet

For Use in Potable Water Service

UTP-0318

Effective: March 1, 2018

Revised: 01/09/2019

A Hammond Valve Product

Suggested list prices are subject to change without notification. Visit our Website for the most up-to-date product information.

TABLE OF CONTENTS

<u>PRODUCT NUMBER / SERIES</u>	<u>PAGE NUMBER</u>
ULTRA-PURE™ BRONZE BALL VALVES SERIES	
UP8501 / UP8511	2
UP8604 / UP8614	3
UP8301A / UP8311A	4
ULTRA-PURE™ BRONZE BALL VALVE ACCESSORIES	5
ULTRA-PURE™ BRASS BALL VALVES	
UP8901 / UP8911	6
ULTRA-PURE™ BRASS BALL VALVE ACCESSORIES	7
ULTRA-PURE™ GATE & GLOBE VALVES	
UP645 / UP647	8
UP640 / UP635	8
UP667 / UP668	8
UP440 / UP418	8
ULTRA-PURE™ CHECK VALVES	
UP904 / UP912	9
UP943 / UP947	9
UP967 / UP968	9
ULTRA-PURE™ PRESS VALVES	
UP645-P2	10
UP640-P2	10
UP440-P2	10
UP904-P2	10
UP943-P2	10
UP969	10
UP8501-P2	10
UP8301A-P2	10
UPBA-480B / UPBA-490B	11

Visit our website for complete product details, information and terms and conditions of sale.

Hammond Valve Company | 16550 West Stratton Drive | New Berlin | WI | 53151

Phone: (262)432-2702

Website: www.HammondValve.com



A Hammond Valve Product for Potable Water Service

UP8501 & UP8511 SERIES BALL VALVE
2 PIECE • BRONZE BODY • STANDARD PORT • 600 WOG
NSF/ANSI 372 & NSF/ANSI 61

BRONZE BODY, THREADED ENDS		
MODEL	UP8501†	UP8503†
SIZE	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM
1/4"	74.45	112.97
3/8"	74.45	112.97
1/2"	74.45	120.30
3/4"	122.77	213.14
1"	155.97	275.38
1 1/4"	260.03	414.14
1 1/2"	332.98	559.72
2"	423.67	740.08
2 1/2"	1,722.31	2,754.70
3"	1,993.71	3,139.47

BRONZE BODY, SOLDER ENDS		
MODEL	UP8511†	UP8513†
SIZE	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM
3/8"	74.45	112.97
1/2"	74.45	120.30
3/4"	122.77	213.14
1"	155.97	275.38
1 1/4"	260.03	414.14
1 1/2"	332.98	559.72
2"	423.67	740.08
2 1/2"	1,722.31	2,754.70
3"	1,993.71	3,139.47

BRONZE BODY, THREADED X HOSE END W/CAP AND CHAIN		
MODEL	UP8501H	UP8503H‡
SIZE	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM
1/2"	121.60	167.46
3/4"	169.53	259.89

BRONZE BODY, SOLDER X HOSE END W/CAP AND CHAIN		
MODEL	UP8511H	UP8513H‡
SIZE	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM
1/2"	121.60	167.46
3/4"	169.53	259.89

†1/4" through 3/4" UP8501/UP8511 & UP8301A/UP8311A Series products are full port and identical in these sizes.

‡NSF/ANSI 372 pending

Note: No parts available for Ultra-Pure™ valves.

For Accessories, please refer to page 5.



A Hammond Valve Product for Potable Water Service

UP8604 & UP8614 SERIES BALL VALVE
3 PIECE • BRONZE BODY • FULL PORT • 600 WOG
NSF/ANSI 372 & NSF/ANSI 61

BRONZE BODY, THREADED ENDS		
MODEL	UP8604	UP8603
SIZE	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM
1/4"	198.16	260.85
3/8"	198.16	260.85
1/2"	228.86	324.88
3/4"	281.48	386.81
1"	370.06	562.21
1 1/4"	530.48	761.63
1 1/2"	688.34	968.03
2"	1,269.33	1,580.60
2 1/2"	2,339.58	2,967.81
3"	2,339.58	2,967.81

BRONZE BODY, SOLDER ENDS		
MODEL	UP8614	UP8613
SIZE	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM
3/8"	198.16	260.85
1/2"	228.86	324.88
3/4"	281.48	386.81
1"	370.06	562.21
1 1/4"	530.48	761.63
1 1/2"	688.34	968.03
2"	1,269.33	1,580.60
2 1/2"	2,339.58	2,967.81
3"	2,339.58	2,967.81

Note: No parts available for Ultra-Pure™ valves.
 For accessories, please refer to page 5.



A Hammond Valve Product for Potable Water Service

UP8301A & UP8311A SERIES BALL VALVE
2 PIECE • BRONZE BODY • FULL PORT • 600 WOG
NSF/ANSI 372 & NSF/ANSI 61

BRONZE BODY, THREADED ENDS		
MODEL	UP8301A	UP8303A
SIZE	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM
1/4"†	— USE UP8501/UP8503 —	
3/8"†		
1/2"†		
3/4"†		
1"	169.25	352.49
1 1/4"	413.88	548.34
1 1/2"	522.80	698.39
2"	907.77	1,246.54

BRONZE BODY, SOLDER ENDS		
MODEL	UP8311A	UP8313A
SIZE	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM
1/2"†	— USE UP8511/UP8513 —	
3/4"†		
1"	169.25	352.49
1 1/4"	413.88	548.34
1 1/2"	522.80	698.39
2"	907.77	1,246.54

†1/4" through 3/4" UP8501/UP8511 & UP8301A/UP8311A Series products are full port and identical in these sizes.

Note: No parts available for Ultra-Pure™ valves.
 For accessories, please refer to page 5.



A Hammond Valve Product for Potable Water Service

VALVE ACCESSORY LIST ADDERS FOR UP8501 & UP8511 SERIES										
SUFFIX	-02	-03	-04	-06	-07	-08	-09	-16	-27	-12
Size	Memory Stop	Tee Handle	Oval Handle	Stem Ext 2 1/4"	Locking Lever	SS Lever	2-1/4" Stem Ext w/Mem Stop	Insulator Handle W/Mem Stop	Extended Locking Handle	Lever & Chain
1/4"†	6.72	18.25	23.92	41.96	37.39	15.10	119.47	51.49	80.28	14.37
3/8"	6.72	18.25	23.92	41.96	37.39	15.10	119.47	51.49	80.28	14.37
1/2"	6.72	18.25	23.92	41.96	37.39	15.10	119.47	51.49	80.28	14.37
3/4"	6.72	18.25	29.93	41.96	65.37	21.35	119.47	51.49	94.07	18.52
1"	6.72	18.25	29.93	41.96	65.37	21.35	119.47	51.49	94.07	18.52
1 1/4"	6.72	22.81	54.21	69.10	75.24	37.45	133.62	73.94	125.43	31.80
1 1/2"	6.72	22.81	54.21	69.10	75.24	37.45	133.62	73.94	125.43	31.80
2"	6.72	22.81		69.10	75.24	37.45	133.62	73.94	125.43	31.80

VALVE ACCESSORY LIST ADDERS FOR UP8604 & UP8614 SERIES							
SUFFIX	-02	-03	-06	-07	-08	-09	-16
Size	Memory Stop	Tee Handle	Stem Ext 2 1/4"	Locking Lever	SS Lever	2-1/4" Stem Ext w/Mem Stop	Insulator Handle W/Mem Stop
1/4"†	6.72	18.25	41.96	37.39	15.10	119.47	53.51
3/8"†	6.72	18.25	41.96	37.39	15.10	119.47	53.51
1/2"	6.72	18.25	41.96	37.39	15.10	119.47	53.51
3/4"	6.72	18.25	41.96	65.37	21.35	119.47	53.51
1"	6.72		69.10	75.24	37.45	133.62	77.89
1 1/4"	6.72		69.10	75.24	37.45	133.62	77.89
1 1/2"	6.72		69.10	75.24	37.45	133.62	77.89
2"	6.72		80.95	75.24	80.31	152.02	77.89

VALVE ACCESSORY LIST ADDERS FOR UPBA8301A & UP8311A SERIES									
SUFFIX	-02	-03	-04	-06	-07	-08	-09	-16	-27
Size	Memory Stop	Tee Handle	Oval Handles	Stem Ext 2 1/4"	Locking Lever	SS Lever	2-1/4" Stem Ext w/Mem Stop	Insulator Handle W/Memory Stop	Lockable Stem Extension
1"	6.72	22.81	54.21	69.10	75.24	37.45	133.62	73.94	125.43
1 1/4"	6.72	22.81	54.21	69.10	75.24	37.45	133.62	73.94	125.43
1 1/2"	6.72	22.81	54.21	69.10	75.24	37.45	133.62	73.94	125.43
2"	6.72			80.95	75.24	80.31	152.02	73.94	164.02

†Available for threaded end only.



A Hammond Valve Product for Potable Water Service

UP8901 & UP8911 SERIES BALL VALVE
2 PIECE • FULL PORT • BRASS BODY • NSF/ANSI 372 & NSF/ANSI 61
600 WOG (SIZES 1/4" - 2"), 400 WOG (SIZES 2-1/2" & 3")†

BRASS BODY, THREADED ENDS	
MODEL	UP8901
	Chrome Plated Ball
SIZE	
1/4"	60.22
3/8"	60.22
1/2"	60.22
3/4"	91.53
1"	127.84
1 1/4"	229.16
1 1/2"	285.56
2"	387.55
2 1/2"†	1,954.67
3"†	2,262.93

BRASS BODY, SOLDERED ENDS	
MODEL	UP8911
	Chrome Plated Ball
SIZE	
1/2"	60.22
3/4"	91.53
1"	127.84
1 1/4"	229.16
1 1/2"	285.56
2"	387.55
2 1/2"†	1,954.67
3"†	2,262.93

Note: No parts available for Ultra-Pure™ valves
 For accessories, please refer to page 7.



A Hammond Valve Product for Potable Water Service

ULTRA-PURE™ BRASS BALL VALVE ACCESSORY LIST ADDERS

VALVE ACCESSORY LIST ADDERS FOR UP8901 & UP8911 SERIES

SUFFIX	-02	-03	-04	-06	-07	-08	-16
Size	Memory Stop	"T" Handle	Oval Handle	Stem Ext 2-1/4" w/Memory Stop	Locking Lever	SS Lever	Insulator Handle w/Memory Stop
1/4"	5.51	22.88	29.93	52.52	11.75	18.88	53.08
3/8"	5.51	22.88	29.93	52.52	11.75	18.88	53.08
1/2"	5.51	22.88	29.93	52.52	11.75	18.88	53.08
3/4"	7.14	22.88	37.47	75.88	15.03	26.71	53.08
1"	7.14	22.88	37.47	75.88	15.03	26.71	53.08
1 1/4"	8.88	28.62	67.85	75.88	27.30	46.87	76.23
1 1/2"	8.88	28.62	67.85	75.88	27.30	46.87	76.23
2"	8.88			86.48	41.04	46.87	76.23
2 1/2"				101.29	41.04	100.54	
3"				101.29	41.04	100.54	

VALVE ACCESSORY LIST ADDERS FOR UPBA-480 & UPBA-490 SERIES

SUFFIX	-02	-03	-04	-06	-07	-08	-16
Size	Memory Stop	"T" Handle	Oval Handle	Stem Ext 2-1/4" w/Memory Stop	Locking Lever	SS Lever	Insulator Handle w/Memory Stop
1/2"	5.51	22.88	29.93	52.52	11.75	18.88	53.08
3/4"	7.14	22.88	37.47	75.88	15.03	26.71	53.08
1"	7.14	22.88	37.47	75.88	15.03	26.71	53.08
1 1/4"	8.88	28.62	67.85	75.88	27.30	46.87	76.23
1 1/2"	8.88	28.62	67.85	75.88	27.30	46.87	76.23
2"	8.88			86.48	41.04	46.87	76.23
2 1/2"				101.29	41.04	100.54	
3"				101.29	41.04	100.54	

†Available for threaded end only.



A Hammond Valve Product for Potable Water Service

BRONZE AND BRASS GATE VALVES NSF/ANSI 372 & NSF/ANSI 61

SIZE	UP645	UP647	UP640	UP635	UP667	UP668
	BRONZE BODY, NON-RISING STEM, THREADED BONNET, THREADED ENDS 300 WOG	BRONZE BODY, NON-RISING STEM, THREADED BONNET, SOLDER ENDS 300 WOG	BRONZE BODY, RISING STEM, THREADED BONNET, THREADED ENDS 300 WOG	BRONZE BODY, RISING STEM, THREADED BONNET, SOLDER ENDS 300 WOG	BRASS BODY, NON-RISING STEM, THREADED BONNET, THREADED ENDS 200 WOG	BRASS BODY, NON-RISING STEM, THREADED BONNET, SOLDER ENDS 200 WOG
1/4"	201.47		215.89		62.61	
3/8"	201.47	201.47	215.89	220.59	62.61	62.61
1/2"	177.49	177.49	191.82	196.63	55.80	55.80
3/4"	215.89	215.89	239.82	244.61	73.49	73.49
1"	273.38	292.59	321.33	321.33	100.72	100.72
1 1/4"	417.34	441.31	460.47	513.23	145.64	145.64
1 1/2"	484.43	498.85	551.58	575.56	185.11	185.11
2"	633.11	690.68	690.32	796.28	281.75	281.75
2-1/2"	1,654.83					
3"	2,019.40					

BRONZE GLOBE VALVES NSF/ANSI 372 & NSF/ANSI 61

SIZE	UP440	UP418
	BRONZE BODY, THREADED BONNET, THREADED ENDS 300 WOG	BRONZE BODY, THREADED BONNET, SOLDER ENDS 300 WOG
1/8"	306.92	
1/4"	306.92	
3/8"	306.92	316.59
1/2"	306.92	316.59
3/4"	378.93	417.34
1"	508.46	575.56
1 1/4"	671.53	738.70
1 1/2"	877.74	968.89
2"	1,333.41	1,458.11

Note: No parts available for Ultra-Pure™ valves.



A Hammond Valve Product for Potable Water Service

BRONZE AND BRASS CHECK VALVES
NSF/ANSI 372 & NSF/ANSI 61

	UP904 ¹	UP912 ²	UP943	UP947	UP967 ³	UP968 ³
SIZE	BRONZE BODY, BRONZE DISC, HORIZ. SWING, THREADED ENDS 300 WOG	BRONZE BODY, BRONZE DISC, HORIZ. SWING, SOLDER ENDS 300 WOG	BRONZE BODY, PTFE DISC, IN-LINE SPRING LOADED LIFT, THREADED ENDS 250 WOG	BRONZE BODY, PTFE DISC, IN-LINE SPRING LOADED LIFT, SOLDER ENDS 250 WOG	BRASS BODY, BRASS DISC, HORIZ. SWING, THREADED ENDS 200 WOG	BRASS BODY, BRASS DISC, HORIZ. SWING, SOLDER ENDS 200 WOG
1/4"	239.82					
3/8"	239.82	249.41	129.50	129.50	55.80	
1/2"	239.82	249.41	129.50	129.50	55.80	55.80
3/4"	282.99	335.76	172.64	172.64	70.78	70.78
1"	378.93	494.00	235.06	235.06	99.36	99.36
1 1/4"	527.59	700.28	292.59	292.59	142.93	142.93
1 1/2"	633.11	820.21	383.75	383.75	197.36	197.36
2"	916.13	1,203.88	551.58	551.58	304.90	304.90
2 1/2"	2,177.59	2,498.96			591.04	591.04
3"	3,232.78	3,501.46			796.46	796.46

Note: No parts available for Ultra-Pure™ valves.

¹2-1/2" & 3" UP904 NSF/ANSI 372 ONLY

²2-1/2" - 3" UP912 NSF/ANSI 372 ONLY

³2-1/2" & 3" UP967 & UP968 NSF/ANSI 372 ONLY



A Hammond Valve Product for Potable Water Service

PRESS-END BRONZE AND BRASS VALVES

MODEL	GATE VALVES		GLOBE VALVE	CHECK VALVES		
	UP645-P2 ³	UP640-P2 ³	UP440-P2 ³	UP904-P2 ³	UP943-P2 ³	UP969 ²
	BRONZE BODY, NON-RISING STEM, THREADED BONNET, PRESS x PRESS	BRONZE BODY, RISING STEM, THREADED BONNET, PRESS x PRESS	BRONZE BODY, RISING STEM, THREADED BONNET, PRESS x PRESS	BRONZE BODY, BRONZE DISC, HORIZ. SWING, PRESS x PRESS	BRONZE BODY, PTFE DISC, IN-LINE SPRING LOADED LIFT PRESS x PRESS	BRASS BODY, BRASS DISC, HORIZ. SWING, INTEGRAL PRESS ENDS
SIZE	200 PSIG @ 250° F	200 PSIG @ 250° F	200 PSIG @ 250° F	200 PSIG @ 250° F	200 PSIG @ 250° F	200 PSIG @ 250° F
1/2"	191.24	205.57	320.66	253.57	143.26	81.67
3/4"	237.80	261.73	400.85	304.90	194.55	111.62
1"	321.19	369.14	556.26	426.74	282.87	155.16
1 1/4"	511.86	554.99	766.05	622.11	387.11	302.16
1 1/2"	592.20	659.35	985.51	740.88	491.51	396.09
2"	790.44	848.01	1,490.75	1,073.45	708.91	605.70
2 1/2"				3,707.11		
3"				4,860.01		

PRESS BRONZE BALL VALVES

MODEL	STANDARD PORT		FULL PORT	
	UP8501-P2 ^{1 4}	UP8503-P2 ^{1 4}	UP8301A-P2 ⁴	UP8303A-P2 ⁴
	BRONZE BODY, CHROME PLATED BRASS BALL, PRESS x PRESS	BRONZE BODY, STAINLESS BALL / STEM SOLDER ENDS PRESS x PRESS	BRONZE BODY, CHROME PLATED BRASS BALL, PRESS x PRESS	BRONZE BODY, STAINLESS BALL / STEM SOLDER ENDS PRESS x PRESS
SIZE	200 PSIG @ 250° F	200 PSIG @ 250° F	200 PSIG @ 250° F	200 PSIG @ 250° F
1/2"	91.21	137.06	— USE UP8501-P2 —	
3/4"	149.50	239.87		
1"	214.27	333.68	227.55	410.80
1 1/4"	375.31	529.42	529.16	663.62
1 1/2"	464.40	691.13	654.22	829.81
2"	615.53	931.94	1,099.63	1,438.39
2-1/2"	3,351.68	3,842.98		
3"	3,985.89	4,796.73		

¹UP8501-P2 & UP8503-P2 are full-port in sizes 1/2" & 3/4"

²NSF/ANSI 372 & NSF/ANSI 61

³Valves and "P2" Press End Adaptors are individually Certified by IAPMO to NSF/ANSI 372 for Lead-free Compliance

⁴Valves and "P2" Press End Adaptors are individually Certified by IAPMO to NSF/ANSI 372

[IAPMO Research and Testing, Inc Certificate of Listing NSF/ANSI 372](#)

[IAPMO Research and Testing, Inc Certificate of Listing NSF/ANSI 61](#)

Additional Notes:

Bronze Ball Valve Accessories, please refer to page 5.

No parts available for Ultra-Pure™ valves.



A Hammond Valve Product for Potable Water Service

UPBA-480B & UPBA-490 SERIES BALL VALVE
2 PIECE • BRASS BODY • FULL PORT
INTEGRAL PRESS ENDS • NSF/ANSI 372 & NSF/ANSI 61
200 PSIG @ 250° F

PRESS X PRESS END				
MODEL	UPBA-480B	UPBA-480S	UPBA-481B	UPBA-481S
Size	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM	CHROME PLATED BALL W/ STEM EXTENSION	STAINLESS STEEL BALL & STEM W/ STEM EXTENSION
1/2"	74.05	104.44	126.57	156.97
3/4"	110.12	176.18	185.99	252.05
1"	164.70	245.05	240.58	320.93
1 1/4"	336.20	492.48	412.08	568.36
1 1/2"	435.57	600.94	511.44	676.82
2"	748.62	1,010.74	835.11	1,097.24
2 1/2"	1,981.32		2,082.62	
3"	2,544.16		2,645.47	
4"	3,432.33			

PRESS X THREADED END				
MODEL	UPBA-490B	UPBA-490S	UPBA-491B	UPBA-491S
SIZE	CHROME PLATED BALL	STAINLESS STEEL BALL & STEM	CHROME PLATED BALL W/ STEM EXTENSION	STAINLESS STEEL BALL & STEM W/ STEM EXTENSION
1/2"	66.70	97.08	119.22	149.62
3/4"	102.09	168.14	177.96	244.02
1"	148.37	228.71	224.25	304.60
1 1/4"	302.16	458.45	378.05	534.34
1 1/2"	402.90	568.27	478.77	644.16
2"	692.80	954.95	779.30	1,041.43

PRESS X HOSE END			
MODEL	UPBA-480B-H	UPBA-480S-H	UPBA-481B-H
SIZE	CHROME PLATED BALL	STAINLESS BALL & STEM	CHROME PLATED BALL W/ STEM EXTENSION
1/2"	107.81	164.97	160.34
3/4"	147.68	257.38	223.56

Note: No parts available for Ultra-Pure™ valves.
 For accessories, please refer to page 7.