



Industrial Bronze and Iron Price List

IBI-0718

Effective: July 2, 2018

Revised: 09/26/2018

Suggested list prices are subject to change without notification. Visit our Website for the most up-to-date product information.

TABLE OF CONTENTS

| <u>PRODUCT / SERIES TYPE</u> | <u>PAGE NUMBER</u> |
|--|--------------------|
| BRONZE GATE VALVES | 2 |
| BRONZE GLOBE & ANGLE VALVES | 3 |
| BRONZE CHECK VALVES | 4 |
| PRESS X PRESS END, GATE, GLOBE & CHECK VALVES | 5 |
| CAST IRON VALVES | 6 |
| CAST IRON VALVES - "HI" SERIES | 7 |
| CHAINWHEEL OPERATOR & SQUARE OPERATING NUTS | 8 |
| UL/FM VALVES, U-BOLT VALVES & SILENT CHECKS | 9 |
| BYPASS, GEAR OPERATOR, TAPPING & SERVICE PARTS | 10 |

Visit our website for complete product details, information and terms and conditions of sale.

Hammond Valve Company | 16550 West Stratton Drive | New Berlin | WI | 53151

Phone: (262) 432-2702

Website: www.hammondvalve.com

BRONZE GATE VALVES

| MODEL | IB645 | IB647 | IB640 | IB635 | IB617 | IB646 | IB638 | IB641 |
|--------|--|--|---|---|---|--|--|---|
| | 125 SWP 200 WOG FNPT NRS TB MSS SP-80 | 125 SWP 200 WOG SOLDER NRS TB MSS SP-80 | 125 SWP 200 WOG FNPT RS TB MSS SP-80 | 125 SWP 200 WOG SOLDER RS TB MSS SP-80 | 125 SWP 200 WOG FNPT RS TB MSS SP-80 | 150 SWP 300 WOG FNPT NRS TB MSS SP-80 | 150 SWP 300 WOG FNPT NRS UB MSS SP-80 | 150 SWP 300 WOG FNPT RS TB MSS SP-80 |
| SIZE | | | | | | | | |
| 1/4" | 146.14 | | 156.55 | | 187.89 | 198.28 | 260.95 | 187.89 |
| 3/8" | 146.14 | 146.14 | 156.55 | 160.02 | 187.89 | 198.28 | 260.95 | 187.89 |
| 1/2" | 128.72 | 128.72 | 139.14 | 142.62 | 177.43 | 205.25 | 260.95 | 177.43 |
| 3/4" | 156.55 | 156.55 | 173.94 | 177.43 | 212.22 | 222.65 | 309.60 | 212.22 |
| 1" | 198.28 | 212.22 | 233.08 | 233.08 | 271.32 | 292.20 | 372.23 | 281.80 |
| 1 1/4" | 302.70 | 320.11 | 333.97 | 372.23 | 382.66 | 389.63 | 528.81 | 354.88 |
| 1 1/2" | 351.37 | 361.78 | 400.06 | 417.47 | 466.19 | 487.05 | 657.51 | 469.66 |
| 2" | 459.18 | 500.94 | 500.94 | 577.53 | 626.20 | 674.91 | 901.02 | 643.59 |
| 2 1/2" | 1,200.23 | 1,280.21 | 1,346.36 | 1,422.90 | 1,468.07 | 1,562.04 | | 1,495.92 |
| 3" | 1,464.66 | 1,662.90 | 1,840.34 | 1,916.89 | 2,073.43 | 2,188.24 | | 2,108.21 |
| 4" | 4,766.11 | 5,207.92 | 4,766.11 | 5,207.92 | | 5,395.77 | | 5,395.77 |

| MODEL | IB629 | IB648 | IB610 | IB650 | IB651 | IB652 | IB654 | IB656 |
|--------|---|---|--|--|--|---|---|--|
| | 150 SWP 300 WOG FNPT RS UB MSS SP-80 | 150 SWP 300 WOG SOLDER RS UB MSS SP-80 | 150 SWP 300 WOG FNPT QUICK-OPEN W/ LEVER HANDLE | 200 SWP 400 WOG FNPT RS / UB CU/NI SEATS MSS SP-80 | 200 SWP 400 WOG FNPT RS / UB STAINLESS SEATS MSS SP-80 | 300 SWP 1000 WOG FNPT RS / UB CU/NI SEATS MSS SP-80 | 300 SWP 1000 WOG FNPT RS / UB STAINLESS SEATS MSS SP-80 | 300 WSP 1000 WOG FNPT NRS / UB STAINLESS SEATS MSS SP-80 |
| SIZE | | | | | | | | |
| 1/4" | 198.28 | | | 313.11 | 330.48 | 330.48 | 389.63 | 476.61 |
| 3/8" | 198.28 | 227.85 | | 313.11 | 330.48 | 330.48 | 389.63 | 476.61 |
| 1/2" | 194.84 | 222.65 | 932.38 | 281.80 | 330.48 | 292.20 | 368.82 | 459.18 |
| 3/4" | 226.15 | 253.97 | 1,029.77 | 337.46 | 379.21 | 347.92 | 441.82 | 549.64 |
| 1" | 295.73 | 344.41 | 1,214.15 | 483.55 | 560.13 | 507.91 | 622.69 | 761.88 |
| 1 1/4" | 403.59 | 476.61 | 1,332.42 | 730.57 | 765.33 | 772.30 | 824.48 | 1,015.87 |
| 1 1/2" | 497.48 | 577.53 | 1,715.13 | 744.51 | 859.28 | 782.75 | 967.13 | 1,273.32 |
| 2" | 692.27 | 925.40 | 2,243.90 | 1,161.96 | 1,276.74 | 1,217.60 | 1,419.40 | 2,028.20 |
| 2 1/2" | 1,589.86 | 1,972.59 | 4,289.51 | | 3,367.58 | | 4,407.78 | |
| 3" | 2,198.67 | 3,054.49 | 5,795.86 | | 4,439.09 | | 5,813.24 | |
| 4" | | | 11,967.46 | | | | | |

NRS = NON-RISING STEM
RS = RISING STEM

TB = THREADED BONNET
UB = UNION BONNET

FNPT = FEMALE NATIONAL PIPE THREAD

BRONZE GLOBE VALVES

| MODEL | IB440 | IB418 | IB413T | IB423 | IB415 | IB412 |
|--------|---|---|--|--|---|--|
| | 125 SWP 200 WOG FNPT TB BRONZE DISC | 125 SWP 200 WOG SOLDER TB BRONZE DISC | 150 SWP 300 WSP FNPT UB TFE DISC | 150 SWP 300 WOG SOLDER UB TFE DISC | 200 SWP 400 WOG FNPT TB NEEDLE DISC | 300 SWP 1000 WOG FNPT UB BRONZE DISC |
| SIZE | MSS SP-80 | MSS SP-80 | MSS SP-80 | MSS SP-80 | MSS SP-80 | MSS SP-80 |
| 1/8" | 222.65 | | 264.37 | | 302.70 | |
| 1/4" | 222.65 | | 264.37 | | 302.70 | 302.70 |
| 3/8" | 222.65 | 229.63 | 264.37 | | 340.92 | 302.70 |
| 1/2" | 222.65 | 229.63 | 264.37 | 358.32 | 379.21 | 302.70 |
| 3/4" | 274.85 | 302.70 | 361.78 | 476.61 | 594.92 | 438.34 |
| 1" | 368.82 | 417.47 | 560.13 | 678.42 | | 654.06 |
| 1 1/4" | 487.05 | 535.77 | 887.13 | 1,047.14 | | 1,001.96 |
| 1 1/2" | 636.65 | 702.77 | 1,064.59 | 1,269.80 | | 1,193.25 |
| 2" | 967.13 | 1,057.57 | 1,610.73 | 1,885.54 | | 1,805.53 |
| 2 1/2" | 2,327.40 | | 3,224.94 | 3,673.76 | | |
| 3" | 3,304.94 | | 4,606.09 | 4,745.22 | | |

SS SEAT & DISC

| MODEL | IB434 | IB444 |
|--------|--|---|
| | 200 SWP 400 WOG FNPT UB STAINLESS SEAT & DISC | 300 SWP 1000 WOG FNPT UB STAINLESS SEAT & DISC |
| SIZE | MSS SP-80 | MSS SP-80 |
| 1/4" | 469.66 | 480.08 |
| 3/8" | 469.66 | 480.08 |
| 1/2" | 469.66 | 480.08 |
| 3/4" | 654.06 | 678.42 |
| 1" | 793.20 | 814.07 |
| 1 1/4" | 1,106.31 | 1,123.72 |
| 1 1/2" | 1,548.12 | 1,589.86 |
| 2" | 2,400.43 | 2,459.60 |
| 2 1/2" | | |

ANGLE VALVES

| MODEL | IB463 | IB454T |
|--------|--|---|
| | 125 SWP 200 WOG FNPT TB ANGLE BRONZE DISC | 150 SWP 300 WOG FNPT UB ANGLE TFE DISC |
| SIZE | MSS SP-80 | MSS SP-80 |
| 1/4" | 243.54 | 361.78 |
| 3/8" | 243.54 | 361.78 |
| 1/2" | 243.54 | 361.78 |
| 3/4" | 340.92 | 494.03 |
| 1" | 448.80 | 720.16 |
| 1 1/4" | 657.51 | 932.38 |
| 1 1/2" | 765.33 | 1,245.45 |
| 2" | 1,158.48 | 1,955.15 |
| 2 1/2" | 2,087.32 | |

TB = THREADED BONNET
UB = UNION BONNET

FNPT = FEMALE NATIONAL PIPE THREAD

BRONZE BODY CHECK VALVES

| MODEL | IB904 | 509Y | IB940 | IB912 | 515Y |
|--------|--------------|--------------|--------------|--------------|----------------------------|
| | 125 SWP | 125 SWP | 125 SWP | 125 SWP | 150 SWP |
| | 200 WOG | 200 WOG | 200 WOG | 200 WOG | 300 WOG |
| | FNPT | FNPT | FNPT | SOLDER | FNPT |
| | HORIZ. SWING | HORIZ. SWING | HORIZ. SWING | HORIZ. SWING | Y PATTERN |
| | BRONZE DISC | BRONZE DISC | TFE DISC | BRONZE DISC | BRONZE BODY BRONZE DISC |
| SIZE | MSS SP-80 | MSS SP-80 | MSS SP-80 | MSS SP-80 | MSS SP-80 |
| 1/4" | 173.94 | 187.04 | 184.37 | | 269.31 |
| 3/8" | 173.94 | 187.04 | 184.37 | | 269.31 |
| 1/2" | 173.94 | 187.04 | 184.37 | 180.91 | 269.31 |
| 3/4" | 205.25 | 220.70 | 215.69 | 243.54 | 344.19 |
| 1" | 274.85 | 295.52 | 295.73 | 358.32 | 418.96 |
| 1 1/4" | 382.66 | 411.46 | 413.96 | 507.91 | 598.56 |
| 1 1/2" | 459.18 | 493.75 | 483.55 | 594.92 | 796.76 |
| 2" | 664.49 | 714.50 | 706.26 | 873.18 | 1,174.58 |
| 2 1/2" | 1,579.43 | 1,685.14 | | 1,812.51 | 1,853.65 |
| 3" | 2,344.76 | 2,451.13 | | 2,539.64 | 2,642.61 |

| MODEL | IB946 | IB945 | IB944 | IB949 |
|--------|--------------|--------------|-------------|-------------|
| | 150 SWP | 150 SWP | 200 SWP | 300 SWP |
| | 300 WOG | 300 WOG | 400 WOG | 600 WOG |
| | FNPT | SOLDER | FNPT | FNPT |
| | HORIZ. SWING | HORIZ. SWING | Y PATTERN | Y PATTERN |
| | BRONZE BODY | BRONZE BODY | BRONZE BODY | BRONZE BODY |
| | TFE DISC | TFE DISC | BRONZE DISC | BRONZE DISC |
| SIZE | MSS SP-80 | MSS SP-80 | MSS SP-80 | MSS SP-80 |
| 1/4" | 250.46 | | 274.85 | 295.73 |
| 3/8" | 250.46 | | 274.85 | 295.73 |
| 1/2" | 250.46 | 267.87 | 274.85 | 295.73 |
| 3/4" | 320.11 | 333.97 | 351.37 | 368.82 |
| 1" | 389.63 | 407.02 | 434.83 | 497.48 |
| 1 1/4" | 556.64 | 577.53 | 594.92 | 643.59 |
| 1 1/2" | 740.98 | 768.87 | 796.69 | 855.78 |
| 2" | 1,092.35 | 1,137.59 | 1,161.96 | 1,262.81 |
| 2 1/2" | | | 1,868.15 | 2,807.50 |
| 3" | | | 2,720.52 | 4,202.53 |

FNPT = FEMALE NATIONAL PIPE THREAD

PRESS-END VALVES

| BRONZE GATE VALVES | | | | | BRONZE GLOBE VALVES | | |
|--------------------|--|--|---|---|---|---|---|
| MODEL | IB645-P2 | IB640-P2 | IB617-P2 | IB638-P2 | IB415-P2 | IB440-P2 | IB413T-P2 |
| SIZE | 200 PSIG @ 250° F PRESS x PRESS NON-RISING STEM THREADED BONNET | 200 PSIG @ 250° F PRESS x PRESS RISING STEM THREADED BONNET | 200 PSIG @ 250° F PRESS x PRESS RISING STEM UNION BONNET | 200 PSIG @ 250° F PRESS x PRESS NON-RISING STEM UNION BONNET | 200 PSIG @ 250° F PRESS x PRESS RISING STEM THREADED BONNET BRONZE DISC | 200 PSIG @ 250° F PRESS x PRESS RISING STEM THREADED BONNET NEEDLE DISC | 200 PSIG @ 250° F PRESS x PRESS RISING STEM UNION BONNET TFE DISC |
| 1/2" | 142.97 | 153.39 | 191.67 | 275.21 | 393.46 | 236.90 | 278.62 |
| 3/4" | 179.26 | 196.65 | 234.92 | 332.31 | 617.62 | 297.55 | 384.49 |
| 1" | 247.82 | 282.61 | 320.85 | 421.75 | | 418.35 | 609.66 |
| 1 1/4" | 400.63 | 431.91 | 480.60 | 626.75 | | 584.99 | 985.06 |
| 1 1/2" | 463.04 | 511.73 | 577.85 | 769.17 | | 748.31 | 1,176.25 |
| 2" | 622.20 | 663.96 | 789.22 | 1,064.04 | | 1,130.15 | 1,773.75 |

| BRASS AND BRONZE CHECK VALVES | | | | | |
|-------------------------------|---|---|--|--|--|
| MODEL | 969 | IB904-P2 | IB940-P2 | 509Y-P2 | IB943-P2 |
| SIZE | 200 PSIG @ 250° F PRESS x PRESS HORIZ. SWING BRASS BODY & DISC | 200 PSIG @ 250° F PRESS x PRESS HORIZ. SWING BRONZE DISC | 200 PSIG @ 250° F PRESS x PRESS HORIZ. SWING TFE DISC | 200 PSIG @ 250° F PRESS x PRESS HORIZ. SWING BRONZE DISC Y PATTERN | 200 PSIG @ 250° F PRESS x PRESS IN LINE SPRING LOADED LIFT CHECK BUNA DISC |
| 1/2" | 59.24 | 188.19 | 198.61 | 201.29 | 108.17 |
| 3/4" | 81.79 | 227.96 | 238.40 | 243.42 | 127.05 |
| 1" | 112.83 | 324.37 | 345.26 | 345.05 | 195.68 |
| 1 1/4" | 220.01 | 480.60 | 511.90 | 509.40 | 292.78 |
| 1 1/2" | 287.71 | 570.85 | 595.21 | 605.42 | 362.13 |
| 2" | 440.02 | 827.50 | 869.27 | 877.52 | 538.72 |

FLANGED CAST IRON BODY VALVES †

| MODEL | IR1138 | IR1140 | IR330 | IR116 | IR1124 |
|--------|-------------|-------------|-------------|-------------|--------------|
| | GATE | GATE | GATE | GLOBE | CHECK |
| | NRS, BB | OS&Y, BB | OS&Y, BB | OS&Y, BB | HORIZ. SWING |
| | 125 SWP | 125 SWP | 250 SWP | 125 SWP | 125 SWP |
| | 200 WOG | 200 WOG | 500 WOG | 200 WOG | 200 WOG |
| | BRONZE TRIM | BRONZE TRIM | BRONZE TRIM | BRONZE TRIM | BRONZE TRIM |
| SIZE | MSS SP-70 | MSS SP-70 | MSS SP-70 | MSS SP-85 | MSS SP-71 |
| 2" | 1,294.25 | 1,267.42 | 3,036.98 | 2,636.87 | 883.45 |
| 2 1/2" | 1,326.48 | 1,313.05 | 3,697.52 | 2,789.90 | 1,125.11 |
| 3" | 1,487.58 | 1,479.57 | 4,191.63 | 3,230.28 | 1,211.05 |
| 4" | 2,129.36 | 2,099.86 | 6,076.62 | 4,621.23 | 1,906.50 |
| 5" | 3,625.03 | 3,477.35 | 10,289.73 | 8,418.12 | 3,254.49 |
| 6" | 3,625.03 | 3,477.35 | 10,289.73 | 8,418.12 | 3,254.49 |
| 8" | 6,221.61 | 6,175.99 | 17,719.72 | 16,473.75 | 6,116.91 |
| 10" | 10,952.98 | 11,291.33 | 26,680.27 | 25,761.91 | 10,440.10 |
| 12" | 15,042.51 | 15,082.81 | 41,628.82 | | 16,261.63 |

† ASSEMBLED AND TESTED IN USA WITH DOMESTIC AND INTERNATIONALLY SOURCED COMPONENTS.

NRS = NON-RISING STEM
OS&Y = OUTSIDE SCREW & YOKE

BB = BOLTED BONNET

"HI" SERIES FLANGED CAST IRON BODY VALVES

| MODEL | IR1138HI | IR1140HI | IR330HI | IR116HI | IR313HI | IR322HI | IR1124HI |
|--------|---|--|--|---|---|---|---|
| | GATE NRS, BB 125 SWP, 200 WOG BRONZE TRIM MSS SP-70 | GATE OS&Y, BB 125 SWP, 200 WOG BRONZE TRIM MSS SP-70 | GATE OS&Y, BB 250 SWP, 500 WOG BRONZE TRIM MSS SP-70 | GLOBE OS&Y, BB 125 SWP, 200 WOG BRONZE TRIM MSS SP-85 | GLOBE OS&Y, BB 250 SWP, 500 WOG BRONZE TRIM MSS SP-85 | CHECK HORIZ. SWING 250 SWP, 500 WOG BRONZE TRIM MSS SP-71 | CHECK HORIZ. SWING 125 SWP, 200 WOG BRONZE TRIM MSS SP-71 |
| SIZE | | | | | | | |
| 2" | 1,126.64 | 1,159.91 | 2,928.81 | 2,366.86 | | | 829.42 |
| 2 1/2" | 1,165.43 | 1,198.66 | 3,382.79 | 2,505.24 | 4,622.98 | 3,657.90 | 1,065.14 |
| 3" | 1,317.73 | 1,337.06 | 3,773.14 | 2,948.18 | 4,780.81 | 4,108.36 | 1,154.64 |
| 4" | 1,896.28 | 1,948.84 | 5,569.74 | 4,224.38 | 7,028.61 | 5,033.26 | 1,834.89 |
| 5" | 3,177.95 | 3,216.73 | 9,437.06 | 7,560.13 | | | 3,114.84 |
| 6" | 3,177.95 | 3,216.73 | 9,437.06 | 7,560.13 | 8,778.15 | 9,428.07 | 3,114.84 |
| 8" | 5,553.09 | 5,647.26 | 16,249.64 | 14,785.27 | | | 5,874.62 |
| 10" | 9,885.45 | 10,076.47 | 24,003.55 | 23,150.92 | | | 10,036.72 |
| 12" | 13,426.04 | 13,464.76 | 36,048.24 | | | | 15,589.13 |
| 14"† | | 26,054.85 | | | | | 23,516.44 |
| 16"† | | 39,251.12 | | | | | 31,354.29 |
| 18"† | | 50,490.22 | | | | | 47,614.70 |
| 20"† | | 70,360.79 | | | | | 75,761.69 |
| 24"† | | 104,438.01 | | | | | 104,508.31 |

"HI" SERIES FLANGED CAST IRON BODY SPECIALTY VALVES

| MODEL | IR1144HI | IR1146HI | IR1126HI | IR1913HI‡ | IR1937HI‡ |
|--------|--|---|--|--|---|
| | GATE NRS, BB 125 SWP, 200 WOG ALL IRON MSS SP-70 | GATE OS&Y, BB 125 SWP, 200 WOG ALL IRON MSS SP-70 | CHECK HORIZ. SWING 125 SWP, 200 WOG ALL IRON MSS SP-71 | GATE OS&Y, BB 125 SWP, 200 WOG SS TRIM MSS SP-70 | CHECK HORIZ. SWING 125 SWP, 200 WOG SS TRIM MSS SP-71 |
| SIZE | | | | | |
| 2" | 1,644.35 | 1,638.76 | 1,205.38 | 2,250.60 | 1,942.30 |
| 2 1/2" | 1,821.48 | 1,818.76 | 1,536.53 | 2,851.31 | 2,327.18 |
| 3" | 1,968.26 | 1,943.33 | 1,655.87 | 2,851.31 | 2,592.71 |
| 4" | 2,746.11 | 2,704.57 | 2,619.58 | 3,997.34 | 3,138.72 |
| 5" | 4,622.98 | 4,531.66 | 4,475.34 | 5,868.72 | 5,415.18 |
| 6" | 4,622.98 | 4,531.66 | 4,475.34 | 5,868.72 | 5,415.18 |
| 8" | 8,351.85 | 8,318.61 | 8,452.46 | 9,749.76 | 10,382.80 |
| 10" | 15,671.10 | 17,332.07 | 14,437.47 | 14,746.53 | 16,979.47 |
| 12" | 21,559.20 | 22,987.61 | | 20,988.96 | 27,514.46 |
| 14"† | | | | | |
| 16"† | | | | | |
| 18"† | | | | | |
| 20"† | | | | | |
| 24"† | | | | | |

†PLEASE REFER TO CATALOG SPEC SHEET FOR TEMPERATURE/PRESSURE RATINGS.

‡3% NICKEL IRON BODY

NRS = NON-RISING STEM

BB = BOLTED BONNET

OS&Y = OUTSIDE SCREW & YOKE

CHAINWHEEL OPERATOR & SQUARE OPERATING NUT

IRON VALVE ACCESSORY LIST PRICE ADDERS FOR CAST IRON BODY GATE VALVES

| CAST IRON CHAINWHEEL & GUIDE (REFER TO SIZING TABLE BELOW TO DETERMINE CORRET CHAINWHEEL PART NO.) | | | CHAIN TRADE SIZE | GALVANIZED OR STAINLESS STEEL CHAIN PER FOOT | MASTER LINK† | SQUARE OPERATING NUT FOR NON-RISING STEM IRON GATE VALVES | | |
|--|----------------------------|----------|------------------|--|--------------|--|----------------|--------|
| PART NO. | FITS HANDWHEEL DIAMETER | LIST | SIZE | LIST | LIST | SIZE | PART NO. | LIST |
| CIRG-1.5 | 6" - 7.5" | 942.50 | 1/0 | POA | POA | 2" | 2882M SQ- 200 | 112.78 |
| CIRG-2.0 | 7.75" - 9" | 1,143.93 | 1/0 | POA | POA | 2 1/2" | 2882M SQ- 212 | 112.78 |
| CIRG-2.5 | 9.25" - 12.5" | 1,420.45 | 4/0 | POA | POA | 3" | 2882M SQ- 300 | 112.78 |
| CIRG-3.0 | 12.75" - 15.5" | 1,812.51 | 4/0 | POA | POA | 4" | 2882M SQ- 400 | 112.78 |
| CIRG-3.5 | 15.75" - 19" | 3,794.18 | 4/0 | POA | POA | 5" - 6" | 2882M SQ- 600 | 112.78 |
| CIRG-4.0 | 19.25" - 22" | POA | 5/0 | POA | POA | 8" | 2882M SQ- 800 | 112.78 |
| CIRG-4.5 | 22.5" - 26" | POA | 5/0 | POA | POA | 10" | 2882M SQ- 1000 | 136.06 |
| CIRG-5.0 | 26.25" - 30" | POA | 5/0 | POA | POA | 12" | 2882M SQ- 1200 | 136.06 |

†ONE MASTER LINK IS REQUIRED PER VALVE SET-UP

CHAINWHEEL OPERATOR SIZING TABLE HANDWHEEL DIAMETER BY MODEL

| VALVE SIZE | MODEL NO. | | |
|------------|---------------|---------------|--------------|
| | IR1138 Series | IR1140 Series | IR330 Series |
| 2" | 7" | 7" | 7" |
| 2 1/2" | 7" | 7" | 8" |
| 3" | 8" | 8" | 10" |
| 4" | 10" | 10" | 12" |
| 5" | 12" | 12" | 12" |
| 6" | 12" | 12" | 14" |
| 8" | 14" | 14" | 16" |
| 10" | 16" | 16" | 18" |
| 12" | 18" | 18" | 20" |
| 14" | 20" | 20" | |
| 16" | 22" | 22" | |
| 18" | 24" | 24" | |
| 20" | 24" | 24" | |
| 24" | 30" | 30" | |

UL/FM IRON

| MODEL | IR1140-UL | IR1124-UL |
|--------|--|--|
| | GATE-OS & Y IBBM 175 PSI WWP UL/FM N.Y.C.B.S.A | CHECK IBBM 175 PSI WWP UL/FM BRONZE TRIM |
| SIZE | | |
| 2 1/2" | 1,288.91 | |
| 3" | 1,530.55 | 4,532.30 |
| 4" | 1,850.12 | 4,706.35 |
| 6" | 2,870.45 | 7,505.30 |
| 8" | 4,972.98 | 12,733.79 |
| 10" | | 27,687.55 |

U-BOLT & UL/FM GATES

| MODEL | IR337HI | 118 |
|--------|---|--|
| | GATE VALVE U-BOLT BRZ TRIM NPT | GATE VALVE OS&Y-BRZ UL/FM NPT |
| SIZE | | |
| 1/4" | 393.09 | |
| 3/8" | 393.09 | |
| 1/2" | 393.09 | |
| 3/4" | 409.69 | |
| 1" | 442.90 | 676.53 |
| 1 1/4" | 548.08 | 783.13 |
| 1 1/2" | 636.68 | 1,053.10 |
| 2" | 963.35 | 1,296.30 |
| 2 1/2" | 1,276.12 | |
| 3" | 1,890.69 | |
| 4" | | |

CAST IRON BODY SILENT CHECK WAFER & GLOBE STYLE CLASS 125 AND 250

| MODEL | IR9253* | IR9354* |
|--------|---|-----------|
| STYLE | WAFER | GLOBE |
| | CLASS 125, STAINLESS STEEL DISC, SEAT, SPRING AND SCREWS | |
| SIZE | | |
| 2" | 966.63 | |
| 2 1/2" | 1,115.84 | 1,987.04 |
| 3" | 1,220.24 | 2,270.51 |
| 4" | 1,649.89 | 3,019.36 |
| 5" | 2,186.97 | 3,983.06 |
| 6" | 2,843.37 | 5,003.41 |
| 8" | 5,095.96 | 7,432.09 |
| 10" | 7,754.28 | 10,642.33 |
| 12" | | 17,289.77 |
| 14" | | |
| 16" | | |
| 18" | | |
| 20" | | |
| 24" | | |

* International Valve

Note: For Silent Check valves that are 3rd Party Certified to NSF/ANSI-372 must be ordered as Milwaukee Brand 1400 or 1800 Series.

BYPASSES, GEARS & TAPPINGS

| SIZE | TAPPING CHARGE | | BYPASS | | GEAR OPERATOR |
|---------|-----------------------|------|---------------------------|------|-------------------|
| | (SPECIFY LOCATION) | | (SPECIFY LOCATION) | | FACTORY INSTALLED |
| | MAX TAP SIZE AS NOTED | | W/ GLOBE VALVE SIZE NOTED | | |
| 2" - 3" | 288.00 | 1/2" | POA | | 9,704.58 |
| 4" | 288.00 | 1/2" | 4,111.70 | 1/2" | 9,704.58 |
| 5" | 329.17 | 3/4" | 4,111.70 | 3/4" | 9,704.58 |
| 6" | 329.17 | 3/4" | 4,111.70 | 3/4" | 9,704.58 |
| 8" | 329.17 | 3/4" | 5,428.33 | 3/4" | 14,968.31 |
| 10" | 378.52 | 1" | 5,428.33 | 1" | 14,968.31 |
| 12" | 378.52 | 1" | 6,086.61 | 1" | 14,968.31 |
| 14" | 411.44 | 1" | 6,086.61 | 1" | 16,284.94 |
| 16" | 411.44 | 1" | 6,251.17 | 1" | 16,284.94 |
| 18" | 427.89 | 1" | 6,415.77 | 1" | 16,284.94 |
| 20" | 444.33 | 1" | 6,563.89 | 1" | 16,614.10 |
| 24" | 460.81 | 1" | 6,563.89 | 1" | 16,943.23 |

CHECK VALVE REPAIR KITS

| MODEL | 2974-RPR-(SIZE) | 2974-HGR-(SIZE) | 2974-DIS-(SIZE) |
|--------|--|---|--|
| SIZE | COMPLETE REPAIR KIT CONTAINS: DISC, WASHER, DISC NUT, SCREW, HANGER, HANGER PIN, PLUG GASKET, & COVER GASKET | HANGER REPAIR KIT CONTAINS; HANGER, HANGER PIN, COVER GASKET, PLUG GASKET | DISC REPAIR KIT CONTAINS: DISC, WASHER, DISC NUT, SCREW, PLUG GASKET, COVER GASKET |
| 2" | 238.63 | 107.77 | 126.22 |
| 2 1/2" | 304.49 | 115.45 | 182.61 |
| 3" | 381.25 | 123.52 | 249.72 |
| 4" | 534.90 | 169.17 | 354.49 |
| 5" | 770.73 | 238.96 | 515.59 |
| 6" | 1,152.05 | 292.70 | 835.09 |
| 8" | 1,629.33 | 354.49 | 1,229.25 |
| 10" | 2,386.39 | 467.24 | 1,868.92 |
| 12" | 2,827.98 | 625.65 | 2,142.81 |

MISCELLANEOUS PARTS

| SIZE | REPLACEMENT PACKING† (ALL VALVES) | HANDWHEEL FOR BRONZE VALVES | HANDWHEEL FOR IRON VALVES | BONNET GASKET (ALL VALVES) | PTFE PACKING FOR ALL BRONZE, & IRON, VALVES |
|-----------------|--------------------------------------|-----------------------------------|------------------------------|-------------------------------|--|
| 1/4" - 3/4" | 18.30 | 27.32 | | | 24.38 |
| 1" | 20.21 | 31.72 | | | 25.97 |
| 1 1/4" - 1 1/2" | 21.63 | 36.86 | | | 28.12 |
| 2" | 24.55 | 48.66 | 129.94 | 55.53 | 42.61 |
| 2 1/2" | 25.97 | 61.95 | 161.70 | 69.32 | 50.39 |
| 3" | 28.12 | 73.77 | 176.16 | 77.96 | 55.53 |
| 4" | 31.04 | 110.59 | 190.53 | 82.99 | 65.67 |
| 5" | 33.89 | | 205.00 | 92.36 | 85.19 |
| 6" | 43.29 | | 222.33 | 101.05 | 96.00 |
| 8" | 56.33 | | 248.35 | 125.60 | 103.23 |
| 10" | 68.58 | | 271.43 | 160.26 | 103.23 |
| 12" | 80.84 | | 308.93 | 202.13 | 122.74 |

MINIMUM ORDER/PARTS = \$50.00NET

PARTS ARE NON-RETURNABLE

†IRON BODY VALVE PACKING IS PACKAGED IN SETS OF 6 RINGS, LIST PRICING IS PER RING